


- 1. Turn loop and top set into coupler.
- 2. Turn the finial onto the nipple.
- 3. Split the arms evenly, make sure each arm is aligned with the center rod.
- 4. Attached glasses to glass holder and secure it with socket ring.





Lighting Your Life Since 1970

Product Specifications - 11244SAOI		
Job Name:	Job Type:	
Quantity:	Comments	



11244SAOI Symphony 5-Light Chandelier

27

Finish Oil Rubbed Bronze

•	2	m		~	

Lamping	
Number of Bulbs	5
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	500
Rated Life	±2,500 Hours
Rated Lumens	±5,750
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

Glass/Shade Screen Amber

Measurements

26.00"
27.00"
N/A
0.00"
N/A
18.17 lbs
N/A
N/A
36"
180"
N/A
N/A
N/A

Product Category

Single-Tier Chandelier

Snipping	
Carton Weight	24.50 lbs
Carton Width	23"
Carton Height	13"
Carton Length	25"
Carton Cubic Feet	4.12
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Safety Rating Dry **Energy Star** No CA Title 24 No CA Title 20 No **ADA** No Dark Sky N/A

Other	
UPC Code	783209009752
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	Iron

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.